

TIRE CHANGER · SWING ARM

BD11-IT

Tire changer


Ergonomic design with inflation system

Applicable outer clamping 11"-24"

Applicable inside clamping 13"-26"

Max. wheel width 350mm

Max. wheel diameter 1080mm



What sets the BD11-IT apart

01 2500

3000kgf aluminum alloy tire press cylinder.

02 Ergonomic design, more convenient to dismount flat, wide

body and super hard anti-explosion tires.

03 High Precision Large Turntable serve up to 26 inch rim.

04 Acquire bead blast system



BD11-IT specifications

Applicable outer clamping	11"-24"	Optional volt	110V/220V
Applicable inside clamping	13"-26"	N./G. Weight	365/405kg
Max. wheel width	350mm	Packing DIM	12709201320mm
Max. wheel diameter	1080mm	20" container	10pcs
Working air pressure	8-10bar	40" container	21pcs
Tire-pressed shovel force	2500-3000kgf		

1998

FOUNDED · HK-OWNED

60+

EXPORT COUNTRIES

CE-ISO

9001:2015 CERTIFIED

OEM

ODM AVAILABLE

Request a quotation for the BD11-IT

carson@coseng.com.cn · +86 137 2785 7065 · No. 6 Shuanglin East Road, Jinwan District, Zhuhai, China

