

TIRE SERVICE EQUIPMENT

CS118

Pneumatic Tire Leak Tester

Pneumatic leak tester with automatic tire lifting

Max. Wheel Diameter **820mm**

Water Tank Volume **320 liters**

Max. Wheel Width **350mm**

Air Pressure **6-8kg/cm²**



What sets the CS118 apart

1

Pneumatic leak tester

Automatic lifting and lowering of tires, easy to operate, labor-saving and safe.

2

Drainage device

The bottom of the water tank has its own drainage device (connected to a 1-inch ball valve switch and a 1-meter extension hose).

3

Open tire cage

More convenient to replace tires.

4

Oil-water separator

The oil-water separator device ensures the life of the gas system.

5

Durability

Easy to maintain and durable.

6

Small footprint

Saving store space.

CS118 specifications

Water Tank Volume	320 liters	Optional Volt	220V
Max. Wheel Width	350mm	Net Weight	94kg
Max. Wheel Diameter	820mm	Equipment Footprint (WDH)	1000×1100×1880mm
Air Pressure	6-8kg/cm ²	Packing DIM	1000×1000×750mm

1998

FOUNDED · HK-OWNED

60+

EXPORT COUNTRIES

CE-ISO

9001:2015 CERTIFIED

OEM

ODM AVAILABLE

Request a quotation for the CS118

carson@coseng.com.cn · +86 137 2785 7065 · No. 6 Shuanglin East Road, Jinwan District, Zhuhai, China

